

Tables

A summary of diseases currently being reported by each jurisdiction is provided in Table 1. There were 29,599 notifications to the National Notifiable Diseases Surveillance System (NNDSS) with a notification date between 1 October and 31 December 2004 (Table 2). The notification rate of diseases per 100,000 population for each State or Territory is presented in Table 3.

There were 6,541 reports received by the Virology and Serology Laboratory Reporting Scheme (LabWISE) in the reporting period, 1 October to 31 December 2004 (Tables 4 and 5).

Table 1. Reporting of notifiable diseases by jurisdiction

Disease	Data received from:	Disease	Data received from:
Bloodborne diseases		Vaccine preventable diseases	
Hepatitis B (incident)	All jurisdictions	Diphtheria	All jurisdictions
Hepatitis B (unspecified)	All jurisdictions except NT	<i>Haemophilus influenzae</i> type b	All jurisdictions
Hepatitis C (incident)	All jurisdictions except Qld	Influenza (laboratory confirmed) [†]	All jurisdictions
Hepatitis C (unspecified)	All jurisdictions	Measles	All jurisdictions
Hepatitis D	All jurisdictions	Mumps	All jurisdictions
Gastrointestinal diseases		Pertussis	All jurisdictions
Botulism	All jurisdictions	Pneumococcal disease (invasive)	All jurisdictions
Campylobacteriosis	All jurisdictions except NSW	Poliomyelitis	All jurisdictions
Cryptosporidiosis	All jurisdictions	Rubella	All jurisdictions
Haemolytic uraemic syndrome	All jurisdictions	Tetanus	All jurisdictions
Hepatitis A	All jurisdictions	Vectorborne diseases	
Hepatitis E	All jurisdictions	Barmah Forest virus infection	All jurisdictions
Listeriosis	All jurisdictions	Flavivirus infection (NEC) [‡]	All jurisdictions
Salmonellosis	All jurisdictions	Dengue	All jurisdictions
Shigellosis	All jurisdictions	Japanese encephalitis virus	All jurisdictions
SLTEC, VTEC	All jurisdictions	Kunjin virus [§]	All jurisdictions except ACT
Typhoid	All jurisdictions	Malaria	All jurisdictions
Quarantinable diseases		Murray Valley encephalitis virus [§]	All jurisdictions except ACT
Cholera	All jurisdictions	Ross River virus infection	All jurisdictions
Plague	All jurisdictions	Zoonoses	
Rabies	All jurisdictions	Anthrax	All jurisdictions
Smallpox	All jurisdictions except ACT, Qld	Australian bat lyssavirus	All jurisdictions
Tularemia	All jurisdictions except Qld	Brucellosis	All jurisdictions
Viral haemorrhagic fever	All jurisdictions	Leptospirosis	All jurisdictions
Yellow fever	All jurisdictions	Lyssaviruses unspecified	All jurisdictions
Sexually transmissible infections		Ornithosis	All jurisdictions
Chlamydial infection*	All jurisdictions	Q fever	All jurisdictions
Donovanosis	All jurisdictions	Other bacterial infections	
Gonococcal infection	All jurisdictions	Legionellosis	All jurisdictions
Syphilis (unspecified)	All jurisdictions	Leprosy	All jurisdictions
Syphilis < 2 years duration	All jurisdictions	Meningococcal infection	All jurisdictions
Syphilis > 2 years duration	All jurisdictions	Tuberculosis	All jurisdictions
Syphilis - congenital	All jurisdictions		

* Only cases of congenital *Chlamydia* are reported in Western Australia.

† Laboratory confirmed influenza is not notifiable in the Australian Capital Territory or South Australia but reports are forwarded to NNDSS.

‡ Flavivirus (NEC) replaced Arbovirus (NEC) from 1 January 2004.

§ In the Australian Capital Territory, Murray Valley encephalitis virus and Kunjin virus are combined under Murray Valley encephalitis virus.

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2004, by date of onset*

Disease	State or territory								Total 4th quarter 2004†	Total 3rd quarter 2004	Total 4th quarter 2003	Last 5 years mean 4th quarter	Year to date 2004	Last 5 years YTD mean	Ratio‡
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA							
Bloodborne diseases															
Hepatitis B (incident)	3	11	2	14	2	5	26	3	66	81	66	81.8	292	390.8	0.8
Hepatitis B (unspecified)	8	826	NN	226	73	12	371	110	1,626	2,092.6	1,613	2,092.6	6,762	8,509.0	0.8
Hepatitis C (incident)	2	13	NN	NN	11	10	3	32	71	127.6	116	127.6	348	513.4	0.6
Hepatitis C (unspecified)	41	1,551	80	704	124	60	734	278	3,572	4,872.6	3,884	4,872.6	15,033	20,430.2	0.7
Hepatitis D	0	3	0	2	0	0	1	0	6	5.0	6	5.0	28	27.8	1.2
Gastrointestinal diseases															
Botulism	0	0	0	0	0	0	0	0	0	0	0	0	1	0.4	0.0
Campylobacteriosis§	124	NN	47	1,++140	559	204	1,905	512	4,491	3,916.6	4,058	3,916.6	15,513	14,253.4	1.1
Cryptosporidiosis	0	79	22	192	29	3	99	19	443	278.8	203	278.8	1,639	1,622.6	1.6
Haemolytic uraemic syndrome	0	3	0	1	2	0	0	0	6	6.0	6	6.0	18	16.8	1.0
Hepatitis A	0	28	3	10	2	0	15	2	60	185.4	111	185.4	314	872.8	0.3
Hepatitis E	0	2	0	3	0	0	2	1	8	2.7	4	2.7	31	14.8	3.0
Listeriosis	0	6	0	1	0	0	5	2	14	18.0	18	18.0	66	72.2	0.8
Salmonellosis (NEC)	14	539	89	707	156	38	267	153	1,963	1,720.4	1,660	1,720.4	7,906	7,553.8	1.1
Shigellosis	1	28	32	17	6	1	19	29	133	109.6	90	109.6	526	507.0	1.2
SLTEC, VTEC††	0	1	0	1	12	0	0	0	14	13.0	11	13.0	48	49.8	1.1
Typhoid	0	14	0	1	0	0	1	0	16	14.4	13	14.4	74	76.6	1.1
Quarantinable diseases															
Cholera	0	0	0	0	0	0	0	0	0	1.0	0	1.0	6	3.8	0.0
Plague	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0	0.0	0.0
Rabies	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0	0.0	0.0
Smallpox	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0	0.0	0.0
Tularemia	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0	0.0	0.0
Viral haemorrhagic fever	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0	0.0	0.0
Yellow fever	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0	0.0	0.0

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2004, by date of onset,*
continued

Disease	State or territory								Total 4th quarter 2004†	Total 3rd quarter 2004	Total 4th quarter 2003	Last 5 years mean 4th quarter	Year to date 2004	Last 5 years YTD mean	Ratio‡
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA							
Sexually transmissible infections															
Chlamydial infection	159	2,375	402	2,264	594	209	1,921	1,111	9,035	8,828	7,806	5,323.2	35,997	21,564.4	1.7
Donovanosis	0	0	2	0	0	0	0	1	3	3	3	3.8	9	20.6	0.8
Gonococcal infection	14	296	366	300	100	9	272	383	1,740	1,691	1,660	1,545.0	7,194	6,622.6	1.1
Syphilis (unspecified)	2	0	0	0	1	0	0	0	3	5	90	339.4	141	1,586.8	0.0
Syphilis < two years duration	0	42	22	15	2	1	26	12	120	164	133	53.8	559	226.8	2.2
Syphilis > two years duration	0	221	40	24	0	7	82	36	410	491	420	221.8	1,854	807.8	1.8
Syphilis - congenital	0	0	2	0	0	0	0	0	2	2	2	3.5	9	12.4	0.6
Vaccine preventable disease															
Diphtheria	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.2	0.0
<i>Haemophilus influenzae</i> type b	0	2	0	0	0	0	0	0	2	6	4	6.2	15	32.6	0.3
Influenza (laboratory confirmed)	0	385	15	160	32	0	64	100	756	1,100	246	139.2	2,129	1,754.2	5.4
Measles	0	4	1	0	1	0	3	6	15	15	17	30.6	68	136.6	0.5
Mumps	0	21	0	7	3	0	0	3	34	24	30	30.8	108	158.8	1.1
Pertussis	43	1,007	15	445	395	6	341	904	3,156	3,055	1,843	2,212.4	8,651	6,976.2	1.4
Pneumococcal disease (invasive)	7	159	21	95	49	11	71	45	458	960	559	361.8	2,353	1,501.0	1.3
Poliomyelitis	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Rubella	0	1	0	4	1	0	1	3	10	9	2	95.8	43	296.4	0.1
Rubella - congenital	0	0	0	0	0	0	0	0	0	0	1	1.0	1	1.2	0.0
Tetanus	0	0	0	0	1	0	0	0	1	0	1	2.3	5	3.8	0.4
Vectorborne diseases															
Barmah Forest virus infection	1	85	4	139	2	0	6	20	257	194	163	155.6	1,094	1,015.6	1.7
Dengue	0	6	0	6	0	0	1	2	15	30	217	64.8	350	323.0	0.2
Flavivirus infection (NEC)	0	1	0	18	0	0	0	0	19	7	20	7.0	81	66.6	2.7
Japanese encephalitis virus	0	0	0	1	0	0	0	0	1	0	0	0.0	2	0.2	0.0
Kunjin virus	0	0	0	1	0	0	1	0	2	0	2	2.0	11	5.2	1.0
Malaria	5	26	24	62	7	6	16	9	155	137	139	159.0	564	774.8	1.0
Murray Valley encephalitis virus	0	0	0	0	0	0	0	0	0	0	0	0.0	1	2.8	0.0
Ross River virus infection	0	66	18	75	19	0	6	44	228	155	701	438.4	4,205	3,730.4	0.5

Table 2. Notifications of diseases received by State and Territory health authorities in the period 1 October to 31 December 2004, by date of onset,*
continued

Disease	State or territory								Total 4th quarter 2004†	Total 3rd quarter 2004	Total 4th quarter 2003	Last 5 years mean 4th quarter	Year to date 2004	Last 5 years YTD mean	Ratio‡
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA							
Zoonoses															
Anthrax	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Australian bat lyssavirus	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Brucellosis	0	2	0	14	0	0	1	0	0	17	4	9.0	41	32.4	1.9
Leptospirosis	0	10	1	6	2	0	4	2	0	25	26	51.6	178	241.2	0.5
Lyssavirus unspecified	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0.0	0.0
Ornithosis	0	18	0	1	0	0	28	1	0	48	66	37.2	226	146.4	1.3
Q fever	1	52	0	18	24	0	3	3	0	101	131	166.6	444	693.2	0.6
Other bacterial infections															
Legionellosis	0	17	0	16	12	0	20	14	0	79	62	85.6	337	357.2	0.9
Leprosy	0	0	0	0	0	0	0	0	0	0	1	2.7	3	6.2	0.0
Meningococcal infection	1	32	3	36	0	2	11	11	0	96	121	176.6	436	726.8	0.5
Tuberculosis	3	126	5	43	10	1	109	25	0	322	251	334.0	1,069	1,180.8	1.0
Total	429	8,058	1,216	6,769	2,231	585	6,435	3,876	0	29,599	28,574	26,714	116,783	105,920	1.2

* Date of onset = the true onset. If this is not available, the 'date of onset' is equivalent to the earliest of two dates: (i) specimen date of collection, or (ii) the date of notification to the public health unit. Hepatitis B and C unspecified were analysed by the date of notification.

† Totals comprise data from all states and territories. Cumulative figures are subject to retrospective revision so there may be discrepancies between the number of new notifications and the increment in the cumulative figure from the previous period.

‡ Ratio = ratio of current quarter total to the mean of last 5 years for the same quarter.

§ Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

|| Notifiable from January 2001 only. Ratio and mean calculations are based the last three years.

¶ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

NN Not notifiable.

NEC Not elsewhere classified.

**Table 3. Notification rates of diseases by state or territory, 1 October to 31 December 2004.
(Rate per 100,000 population)**

Disease*	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Bloodborne diseases									
Hepatitis B (incident)	3.7	0.7	4.0	1.4	0.5	4.1	2.1	0.6	1.3
Hepatitis B (unspecified)	9.9	49.1	NN	23.3	19.0	10.0	29.8	22.2	32.3
Hepatitis C (incident)	2.5	0.8	NN	NN	2.9	8.3	0.2	6.5	1.4
Hepatitis C (unspecified)	50.6	92.2	160.1	72.5	32.3	49.8	59.0	56.1	71.0
Hepatitis D	0.0	0.2	0.0	0.2	0.0	0.0	0.1	0.0	0.1
Gastrointestinal diseases									
Botulism	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Campylobacteriosis [†]	153.1	NN	94.0	117.5	145.7	169.3	153.2	103.3	89.3
Cryptosporidiosis	0.0	4.7	44.0	19.8	7.6	2.5	8.0	3.8	8.8
Haemolytic uraemic syndrome	0.0	0.2	0.0	0.1	0.5	0.0	0.0	0.0	0.1
Hepatitis A	0.0	1.7	6.0	1.0	0.5	0.0	1.2	0.4	1.2
Hepatitis E	0.0	0.1	0.0	0.3	0.0	0.0	0.2	0.2	0.2
Listeriosis	0.0	0.4	0.0	0.1	0.0	0.0	0.4	0.4	0.3
Salmonellosis (NEC)	17.3	32.0	178.1	72.8	40.7	31.5	21.5	30.9	39.0
Shigellosis	1.2	1.7	64.0	1.8	1.6	0.8	1.5	5.9	2.6
SLTEC, VTEC [‡]	0.0	0.1	0.0	0.1	3.1	0.0	0.0	0.0	0.3
Typhoid	0.0	0.8	0.0	0.1	0.0	0.0	0.1	0.0	0.3
Quarantinable diseases									
Cholera	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Plague	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rabies	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Smallpox	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tularemia	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Viral haemorrhagic fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow fever	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sexually transmissible infections									
Chlamydial infection	196.3	141.1	804.4	233.3	154.9	173.4	154.5	224.2	179.7
Donovanosis	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.2	0.1
Gonococcal infection	17.3	17.6	732.4	30.9	26.1	7.5	21.9	77.3	34.6
Syphilis (unspecified)	2.5	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1
Syphilis < 2 years duration	0.0	2.5	44.0	1.5	0.5	0.8	2.1	2.4	2.4
Syphilis > 2 years duration	0.0	13.1	80.0	2.5	0.0	5.8	6.6	7.3	8.2
Syphilis - congenital	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 3. Notification rates of diseases by state or territory, 1 October to 31 December 2004. (Rate per 100,000 population), *continued*

Disease*	State or territory								Australia
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA	
Vaccine preventable diseases									
Diphtheria	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
<i>Haemophilus influenzae</i> type b	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Influenza (laboratory confirmed)	0.0	22.9	30.0	16.5	8.3	0.0	5.1	20.2	15.0
Measles	0.0	0.2	2.0	0.0	0.3	0.0	0.2	1.2	0.3
Mumps	0.0	1.2	0.0	0.7	0.8	0.0	0.0	0.6	0.7
Pertussis	53.1	59.8	30.0	45.9	103.0	5.0	27.4	182.4	62.8
Pneumococcal disease (invasive)	8.6	9.4	42.0	9.8	12.8	9.1	5.7	9.1	9.1
Poliomyelitis	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rubella	0.0	0.1	0.0	0.4	0.3	0.0	0.1	0.6	0.2
Rubella - congenital	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tetanus	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0
Vectorborne diseases									
Barmah Forest virus infection	1.2	5.1	8.0	14.3	0.5	0.0	0.5	4.0	5.1
Dengue	0.0	0.4	0.0	0.6	0.0	0.0	0.1	0.4	0.3
Flavivirus infection (NEC)	0.0	0.1	0.0	1.9	0.0	0.0	0.0	0.0	0.4
Japanese encephalitis virus	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Kunjin virus	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0
Malaria	6.2	1.5	48.0	6.4	1.8	5.0	1.3	1.8	3.1
Murray Valley encephalitis virus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ross River virus infection	0.0	3.9	36.0	7.7	5.0	0.0	0.5	8.9	4.5
Zoonoses									
Anthrax	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Australian bat lyssavirus	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Brucellosis	0.0	0.1	0.0	1.4	0.0	0.0	0.1	0.0	0.3
Leptospirosis	0.0	0.6	2.0	0.6	0.5	0.0	0.3	0.4	0.5
Lyssavirus unspecified	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ornithosis	0.0	1.1	0.0	0.1	0.0	0.0	2.3	0.2	1.0
Q fever	1.2	3.1	0.0	1.9	6.3	0.0	0.2	0.6	2.0
Other bacterial infections									
Legionellosis	0.0	1.0	0.0	1.6	3.1	0.0	1.6	2.8	1.6
Leprosy	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meningococcal infection	1.2	1.9	6.0	3.7	0.0	1.7	0.9	2.2	1.9
Tuberculosis	3.7	7.5	10.0	4.4	2.6	0.8	8.8	5.0	6.4

* Rates are subject to retrospective revision.

† Not reported for New South Wales where it is only notifiable as 'foodborne disease' or 'gastroenteritis in an institution'.

‡ Infections with Shiga-like toxin (verotoxin) producing *Escherichia coli* (SLTEC/VTEC).

NN Not notifiable.

NEC Not elsewhere classified.

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 October to 31 December 2004, and total reports for the year[†]

	State or territory								This period 2004	This period 2003	Year to date 2004 [‡]	Year to date 2003
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Measles, mumps, rubella												
Measles virus	–	2	1	–	1	–	4	6	14	21	35	71
Mumps virus	–	–	–	–	1	–	–	–	1	3	6	10
Rubella virus	–	–	–	2	2	–	–	4	8	7	19	26
Hepatitis virus												
Hepatitis A virus	–	2	–	6	2	–	2	2	14	23	50	87
Hepatitis D virus	–	–	–	–	1	–	–	–	1	4	8	19
Arboviruses												
Ross River virus	–	–	2	5	14	–	3	10	34	55	741	1,238
Barmah Forest virus	–	4	–	15	3	–	–	5	27	33	195	408
Alphavirus (unspecified)	–	–	1	–	–	–	–	–	1	–	1	–
Dengue type 3	–	–	–	–	–	–	–	1	1	–	1	2
Dengue not typed	–	–	2	–	–	–	–	1	3	4	10	31
Flavivirus (unspecified)	–	–	–	6	–	–	1	–	7	14	101	122
Adenoviruses												
Adenovirus type 40	–	–	1	–	–	–	–	14	15	4	31	32
Adenovirus not typed/ pending	3	47	–	12	105	3	51	29	250	171	1,042	926
Herpesviruses												
Herpes virus type 6	–	1	–	–	–	–	1	–	2	–	6	5
Cytomegalovirus	3	96	3	22	50	4	23	1	202	153	816	858
Varicella-zoster virus	–	28	8	206	122	4	11	146	525	449	2,042	1,713
Epstein-Barr virus	–	11	12	191	186	2	12	80	494	411	2,349	1,719
Other DNA viruses												
Molluscum contagiosum	–	–	–	–	–	–	–	3	3	4	6	15
Parvovirus	–	3	–	35	8	–	12	67	125	90	409	258
Picornavirus family												
Echovirus type 7	–	11	–	–	–	–	–	–	11	–	12	1
Echovirus type 9	–	2	–	–	3	–	–	–	5	–	9	11
Echovirus type 11	–	6	–	–	–	–	–	–	6	–	20	4
Echovirus type 18	–	10	–	–	–	–	–	–	10	1	15	1
Echovirus type 25	–	10	–	–	–	–	–	–	10	–	10	1
Echovirus type 30	–	1	–	–	–	–	–	–	1	–	7	1
Poliovirus type 1 (uncharacterised)	–	2	–	–	–	–	–	–	2	4	17	36
Poliovirus type 2 (uncharacterised)	–	8	–	–	–	–	–	–	8	3	21	12
Poliovirus type 3 (uncharacterised)	–	3	–	–	–	–	–	–	3	3	9	7
Rhinovirus (all types)	–	80	–	–	36	–	2	60	178	137	607	526
Enterovirus not typed/ pending	4	22	2	8	2	–	25	8	71	37	204	163

Table 4. Virology and serology laboratory reports by state or territory* for the reporting period 1 October to 31 December 2004, and total reports for the year,† *continued*

	State or territory								This period 2004	This period 2003	Year to date 2004‡	Year to date 2003
	ACT	NSW	NT	Qld	SA	Tas	Vic	WA				
Ortho/paramyxoviruses												
Influenza A virus	1	9	–	8	43	–	13	60	134	206	489	1,952
Influenza B virus	–	3	–	–	28	–	11	45	87	22	217	119
Influenza C virus	–	–	–	–	–	–	1	–	1	–	1	–
Parainfluenza virus type 1	–	–	–	–	9	–	–	2	11	9	142	44
Parainfluenza virus type 2	–	–	–	–	3	–	–	1	4	1	15	67
Parainfluenza virus type 3	–	32	2	7	63	–	27	87	218	222	645	627
Respiratory syncytial virus	–	19	1	36	24	3	10	14	107	180	2,591	1,759
Other RNA viruses												
HTLV-1	–	–	–	–	2	–	–	–	2	1	15	11
Rotavirus	–	108	2	–	328	30	28	107	603	722	1,223	1,298
Calicivirus	–	1	4	–	1	1	2	359	368	71	637	174
Norwalk agent	–	–	–	–	–	–	166	–	166	183	655	313
Other												
<i>Chlamydia trachomatis</i> not typed	8	145	1	408	380	11	20	245	1,218	896	5,233	4,296
<i>Chlamydia pneumoniae</i>	–	–	–	–	–	–	–	1	1	4	8	15
<i>Chlamydia psittaci</i>	–	–	–	–	–	–	33	–	33	31	171	118
<i>Mycoplasma pneumoniae</i>	1	5	3	73	112	3	106	19	322	242	1,364	1,146
<i>Mycoplasma hominis</i>	–	1	–	–	–	–	–	–	1	–	5	9
<i>Coxiella burnetii</i> (Q fever)	–	–	–	6	40	–	2	1	49	37	171	178
<i>Rickettsia prowazeki</i>	–	–	–	–	69	–	–	–	69	1	102	3
<i>Rickettsia tsutsugamushi</i>	–	–	–	–	44	–	–	–	44	2	66	4
<i>Rickettsia</i> - spotted fever group	–	–	–	–	83	2	–	–	85	2	135	2
<i>Streptococcus</i> group A	–	3	–	72	–	–	32	–	107	128	467	490
<i>Yersinia enterocolitica</i>	–	3	–	–	–	–	–	–	3	3	8	12
<i>Brucella abortus</i>	–	–	–	–	–	–	1	–	1	3	6	5
<i>Brucella</i> species	–	1	–	3	–	–	–	–	4	2	9	7
<i>Bordetella pertussis</i>	–	15	–	84	295	–	108	89	591	155	1,350	519
<i>Legionella pneumophila</i>	–	3	–	–	1	–	6	–	10	17	75	130
<i>Legionella longbeachae</i>	–	1	–	–	6	–	2	8	17	30	76	84
<i>Legionella</i> species	–	–	–	–	–	–	1	–	1	8	15	18
<i>Cryptococcus</i> species	–	–	–	1	5	–	–	–	6	6	38	26
<i>Leptospira</i> species	–	–	–	2	2	–	–	–	4	3	23	24
<i>Treponema pallidum</i>	–	27	–	98	95	–	1	5	226	207	1,136	1,165
<i>Entamoeba histolytica</i>	–	–	–	–	–	–	3	–	3	4	12	14
<i>Toxoplasma gondii</i>	–	3	–	–	4	–	2	2	11	9	38	41
<i>Echinococcus granulosus</i>	–	–	–	–	2	–	–	–	2	7	14	21
Total	20	728	45	1,306	2,175	63	722	1,482	6,541	5,045	25,951	22,994

* State or territory of postcode, if reported, otherwise state or territory of reporting laboratory.

† Data presented are for reports with reports dates in the current period.

– No data received this period.

Table 5. Virology and serology reports by laboratories for the reporting period 1 October to 31 December 2004*

State or territory	Laboratory	October 2004	November 2004	December 2004	Total this period
Australian Capital Territory	The Canberra Hospital				
New South Wales	Institute of Clinical Pathology and Medical Research, Westmead	147	126	116	389
	New Children's Hospital, Westmead	72	43	34	149
	Repatriation General Hospital, Concord	–	–	–	–
	Royal Prince Alfred Hospital, Camperdown	12	25	6	43
	South West Area Pathology Service, Liverpool	103	34		137
Queensland	Queensland Medical Laboratory, West End	463	526	355	1,344
	Townsville General Hospital	–	–	–	–
South Australia	Institute of Medical and Veterinary Science, Adelaide	795	798	575	2,168
Tasmania	Northern Tasmanian Pathology Service, Launceston	33	13	12	58
	Royal Hobart Hospital, Hobart	–	–	–	–
Victoria	Monash Medical Centre, Melbourne	15	27	18	60
	Royal Children's Hospital, Melbourne	90	118	106	314
	Victorian Infectious Diseases Reference Laboratory, Fairfield	139	137	72	348
Western Australia	PathCentre Virology, Perth	720	706	–	1,426
	Princess Margaret Hospital, Perth	–	–	–	–
	Western Diagnostic Pathology	24	62	19	105
Total		2,613	2,615	1,313	6,541

* The complete list of laboratories reporting for the 12 months, January to December 2004, will appear in every report regardless of whether reports were received in this reporting period. Reports are not always received from all laboratories.

– No data received this period.