

Appendix 2.

Notifications by State/Territory and year (January 1997–December 2002)

Table 26. Notifications by State/Territory and year (January 1997–December 2002)

| Disease* | Year | Number of notifications | | | | | | | | Total | Notification rate per 100,000 population | | | | | | | | |
|--|--------|-------------------------|-------|-----|-------|-----|-----|-------|-----|-------|--|------|------|------|-----|-----|-----|------|-------|
| | | ACT | NSW | NT | Qld | SA | Tas | Vic | WA | | ACT | NSW | NT | Qld | SA | Tas | Vic | WA | Total |
| Diphtheria | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 1999 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 2001 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| | 2002 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | Total† | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0.1 | 0 | 0 | 0 | 0 | 0 | 0 | 0.0 |
| <i>Haemophilus influenzae</i> type b disease (<15 yr only) | 1997 | 0 | 11 | 3 | 12 | 2 | 2 | 2 | 7 | 3 | 40 | 0.8 | 6.0 | 1.6 | 0.7 | 1.9 | 0.7 | 0.8 | 1.0 |
| | 1998 | 0 | 11 | 0 | 6 | 1 | 2 | 2 | 2 | 5 | 27 | 0.8 | 0 | 0.8 | 0.3 | 2.0 | 0.2 | 1.3 | 0.7 |
| | 1999 | 1 | 8 | 2 | 6 | 2 | 0 | 3 | 3 | 3 | 25 | 1.5 | 0.6 | 0.8 | 0.7 | 0 | 0.3 | 0.8 | 0.6 |
| | 2000 | 0 | 4 | 0 | 7 | 1 | 0 | 2 | 0 | 0 | 14 | 0 | 0.3 | 0.9 | 0.3 | 0 | 0.2 | 0 | 0.4 |
| | 2001 | 0 | 6 | 3 | 3 | 2 | 0 | 2 | 1 | 1 | 17 | 0 | 0.4 | 0.4 | 0.7 | 0 | 0.2 | 0.2 | 0.4 |
| | 2002 | 0 | 4 | 2 | 1 | 2 | 0 | 0 | 1 | 6 | 16 | 0 | 0.3 | 0.1 | 0.7 | 0 | 0.1 | 1.5 | 0.4 |
| | Total† | 1 | 44 | 10 | 35 | 10 | 4 | 17 | 18 | 18 | 139 | 0.3 | 0.6 | 0.8 | 0.6 | 0.7 | 0.3 | 0.8 | 0.6 |
| Hepatitis A | 1997 | 52 | 1,427 | 95 | 917 | 92 | 3 | 341 | 117 | 3,044 | 16.8 | 22.7 | 50.8 | 27.0 | 6.2 | 0.6 | 7.4 | 6.5 | 16.4 |
| | 1998 | 53 | 927 | 45 | 1,050 | 97 | 8 | 171 | 146 | 2,497 | 17.1 | 14.6 | 23.7 | 30.5 | 6.5 | 1.7 | 3.7 | 8.0 | 13.3 |
| | 1999 | 8 | 407 | 89 | 360 | 121 | 5 | 269 | 295 | 1,554 | 2.6 | 6.3 | 46.2 | 10.3 | 8.1 | 1.1 | 5.7 | 15.9 | 8.2 |
| | 2000 | 5 | 199 | 45 | 133 | 54 | 3 | 193 | 181 | 813 | 1.6 | 3.1 | 23.0 | 3.7 | 3.6 | 0.6 | 4.1 | 9.7 | 4.2 |
| | 2001 | 14 | 195 | 37 | 115 | 20 | 3 | 97 | 37 | 518 | 4.4 | 3.0 | 18.7 | 3.2 | 1.3 | 0.6 | 2.0 | 1.9 | 2.7 |
| | 2002 | 4 | 149 | 47 | 65 | 16 | 4 | 74 | 32 | 391 | 1.2 | 2.2 | 23.7 | 1.8 | 1.1 | 0.8 | 1.5 | 1.7 | 2.0 |
| | Total† | 136 | 3,304 | 358 | 2,640 | 400 | 26 | 1,145 | 808 | 8,817 | 7.2 | 8.5 | 30.8 | 12.4 | 4.4 | 0.9 | 4.0 | 7.2 | 7.7 |

NN = not notifiable.

* Refer to Chapter 3 for case definitions.

† Total cases for 6-year period and average annual rate per 100,000 population.

‡ Disease not notifiable for complete year for some jurisdictions.

§ National rate only includes jurisdictions where disease was notifiable for complete year.

Table 26. Notifications by State/Territory and year (January 1997–December 2002) (continued)

| Disease* | Year | Number of notifications | | | | | | | | | | Total | Notification rate per 100,000 population | | | | | | | | | | | | | | |
|--------------------------|--------|-------------------------|-------|--------|----------|-----|------|--------|-----|-----|-----|-------|--|----|-----|----|-----|------|------|-------|------|------|-----|------|------|-------|-----|
| | | ACT | NSW | NT | Qld | SA | Tas | Vic | WA | WA | ACT | | NSW | NT | Qld | SA | Tas | Vic | WA | Total | | | | | | | |
| Hepatitis B (acute) | 1997 | 2 | 52 | 20 | 42 | 16 | 1 | 119 | 19 | 19 | | | | | | | | | 0.6 | 0.8 | 10.7 | 1.2 | 1.1 | 0.2 | 2.6 | 1.1 | 1.5 |
| | 1998 | 1 | 55 | 18 | 47 | 18 | 6 | 91 | 31 | 31 | | | | | | | | | 0.3 | 0.9 | 9.5 | 1.4 | 1.2 | 1.3 | 2.0 | 1.7 | 1.4 |
| | 1999 | 3 | 65 | 20 | 54 | 19 | 5 | 95 | 45 | 45 | | | | | | | | | 1.0 | 1.0 | 10.4 | 1.5 | 1.3 | 1.1 | 2.0 | 2.4 | 1.6 |
| | 2000 | 3 | 96 | 6 | 56 | 30 | 18 | 121 | 75 | 75 | | | | | | | | | 1.0 | 1.5 | 3.1 | 1.6 | 2.0 | 3.8 | 2.6 | 4.0 | 2.1 |
| | 2001 | 2 | 91 | 3 | 47 | 23 | 21 | 208 | 39 | 39 | | | | | | | | | 0.6 | 1.4 | 1.5 | 1.3 | 1.5 | 4.5 | 4.3 | 2.1 | 2.2 |
| | 2002 | 0 | 86 | 22 | 53 | 11 | 19 | 175 | 37 | 37 | | | | | | | | | – | 1.3 | 11.1 | 1.4 | 0.7 | 4.0 | 3.6 | 1.9 | 2.1 |
| | Total† | 11 | 445 | 89 | 299 | 117 | 70 | 809 | 246 | 246 | | | | | | | | | 0.6 | 1.1 | 7.7 | 1.4 | 1.3 | 2.5 | 2.9 | 2.2 | 1.8 |
| Influenza | 2001 | 14 | 241 | (91)* | (392)* | 135 | (0)* | (176)* | 234 | 234 | | | | | | | | 4.4 | 3.7 | NA | NA | 8.9 | NA | NA | 12.3 | 6.1§ | |
| | 2002 | 19 | 1011 | 56 | 1152 | 291 | 5 | 598 | 544 | 544 | | | | | | | | 5.9 | 15.2 | 28.3 | 31.1 | 19.1 | 1.1 | 12.3 | 28.2 | 18.7 | |
| | Total | 33 | 1,252 | (147)* | (1,544)* | 426 | (5)* | (774)* | 778 | 778 | | | | | | | | 5.1 | 9.5 | 37.1 | 21.0 | 14.1 | 0.5 | 8.0 | 20.3 | 14.4§ | |
| Measles | 1997 | 44 | 273 | 8 | 268 | 28 | 41 | 93 | 83 | 83 | | | | | | | | 14.2 | 4.3 | 4.3 | 7.9 | 1.9 | 8.7 | 2.0 | 4.6 | 4.5 | |
| | 1998 | 8 | 118 | 1 | 35 | 6 | 36 | 34 | 50 | 50 | | | | | | | | 2.6 | 1.9 | 0.5 | 1.0 | 0.4 | 7.6 | 0.7 | 2.7 | 1.5 | |
| | 1999 | 5 | 32 | 22 | 33 | 5 | 11 | 110 | 20 | 20 | | | | | | | | 1.6 | 0.5 | 11.4 | 0.9 | 0.3 | 2.3 | 2.3 | 1.1 | 1.3 | |
| | 2000 | 3 | 35 | 0 | 26 | 11 | 1 | 21 | 10 | 10 | | | | | | | | 1.0 | 0.5 | – | 0.7 | 0.7 | 0.2 | 0.4 | 0.5 | 0.6 | |
| | 2001 | 0 | 30 | 0 | 10 | 2 | 2 | 82 | 13 | 13 | | | | | | | | – | 0.5 | – | 0.3 | 0.1 | 0.4 | 1.7 | 0.7 | 0.7 | |
| | 2002 | 0 | 8 | 0 | 8 | 2 | 0 | 14 | 0 | 0 | | | | | | | | – | 0.1 | – | 0.2 | 0.1 | – | 0.3 | – | 0.2 | |
| | Total† | 60 | 496 | 31 | 380 | 54 | 91 | 354 | 176 | 176 | | | | | | | | 3.2 | 1.3 | 2.7 | 1.8 | 0.6 | 3.2 | 1.2 | 1.6 | 1.4 | |
| Meningococcal disease | 1997 | 9 | 219 | 15 | 72 | 22 | 9 | 100 | 49 | 49 | | | | | | | | 2.9 | 3.5 | 8.0 | 2.1 | 1.5 | 1.9 | 2.2 | 2.7 | 2.7 | |
| | 1998 | 2 | 186 | 14 | 108 | 26 | 14 | 59 | 71 | 71 | | | | | | | | 0.6 | 2.9 | 7.4 | 3.1 | 1.7 | 3.0 | 1.3 | 3.9 | 2.6 | |
| | 1999 | 5 | 221 | 8 | 92 | 27 | 13 | 138 | 86 | 86 | | | | | | | | 1.6 | 3.4 | 4.2 | 2.6 | 1.8 | 2.8 | 2.9 | 4.6 | 3.1 | |
| | 2000 | 5 | 254 | 9 | 59 | 32 | 15 | 162 | 86 | 86 | | | | | | | | 1.6 | 3.9 | 4.6 | 1.7 | 2.1 | 3.2 | 3.4 | 4.6 | 3.2 | |
| | 2001 | 6 | 230 | 13 | 120 | 39 | 23 | 164 | 76 | 76 | | | | | | | | 1.9 | 3.5 | 6.6 | 3.3 | 2.6 | 4.9 | 3.4 | 4.0 | 3.5 | |
| | 2002 | 6 | 215 | 9 | 120 | 31 | 26 | 210 | 67 | 67 | | | | | | | | 1.9 | 3.2 | 4.5 | 3.2 | 2.0 | 5.5 | 4.3 | 3.5 | 3.5 | |
| | Total† | 33 | 1,325 | 68 | 571 | 177 | 100 | 833 | 435 | 435 | | | | | | | | 1.7 | 3.4 | 5.9 | 2.7 | 2.0 | 3.5 | 2.9 | 3.9 | 3.1 | |

NN = not notifiable.

* Refer to Chapter 3 for case definitions.

† Total cases for 6-year period and average annual rate per 100,000 population.

‡ Disease not notifiable for complete year for some jurisdictions.

§ National rate only includes jurisdictions where disease was notifiable for complete year.

Table 26. Notifications by State/Territory and year (January 1997–December 2002) (continued)

| Disease* | Year | Number of notifications | | | | | | | | Notification rate per 100,000 population | | | | | | | | | |
|---------------|--------|-------------------------|--------|-----|--------|---------|-------|---------|-------|--|------|------|------|------|-------|-------|------|------|-------------------|
| | | ACT | NSW | NT | Qld | SA | Tas | Vic | WA | Total | ACT | NSW | NT | Qld | SA | Tas | Vic | WA | Total |
| Mumps | 1997 | 7 | 29 | 10 | 16 | 26 | 3 | 64 | 36 | 191 | 2.3 | 0.5 | 5.4 | 0.5 | 1.8 | 0.6 | 1.4 | 2.0 | 1.0 |
| | 1998 | 5 | 39 | 5 | 31 | 8 | 3 | 53 | 38 | 182 | 1.6 | 0.6 | 2.6 | 0.9 | 0.5 | 0.6 | 1.1 | 2.1 | 1.0 |
| | 1999 | 8 | 33 | 3 | (12) † | 12 | 4 | 73 | 39 | (184) ‡ | 2.6 | 0.5 | 1.6 | NA | 0.8 | 0.8 | 1.6 | 2.1 | 1.1 [§] |
| | 2000 | 17 | 94 | 4 | NN | 15 | 2 | 43 | 39 | (214) ‡ | 5.4 | 1.4 | 2.0 | NA | 1.0 | 0.4 | 0.9 | 2.1 | 1.4 [§] |
| | 2001 | 1 | 28 | 1 | (3) † | 12 | 2 | 38 | 29 | (114) ‡ | 0.3 | 0.4 | 0.5 | NA | 0.8 | 0.4 | 0.8 | 1.5 | 0.7 [§] |
| | 2002 | 0 | 29 | 1 | 6 | 10 | 0 | 10 | 13 | 69 | – | 0.4 | 0.5 | 0.2 | 0.7 | – | 0.2 | 0.7 | 0.4 |
| | Total† | 38 | 252 | 24 | (68) † | 83 | 14 | 281 | 194 | (954) ‡ | 2.0 | 0.7 | 2.1 | 0.3 | 0.9 | 0.5 | 1.0 | 1.7 | 0.9 [§] |
| Pertussis | 1997 | 106 | 4,249 | 24 | 1,902 | 1,639 | 120 | 1,584 | 1,204 | 10,828 | 34.3 | 67.7 | 12.8 | 56.0 | 110.6 | 25.3 | 34.5 | 67.1 | 58.5 |
| | 1998 | 100 | 2,308 | 24 | 1,393 | 549 | 55 | 1,078 | 284 | 5,791 | 32.3 | 36.4 | 12.6 | 40.4 | 36.9 | 11.7 | 23.2 | 15.6 | 30.9 |
| | 1999 | 83 | 1,414 | 2 | 963 | 227 | 635 | 997 | 96 | 4,417 | 26.6 | 22.1 | 1.0 | 27.5 | 15.2 | 134.7 | 21.3 | 5.2 | 23.3 |
| | 2000 | 208 | 3,693 | 9 | 527 | 588 | 142 | 699 | 92 | 5,958 | 66.0 | 56.9 | 4.6 | 14.8 | 39.1 | 30.1 | 14.7 | 4.9 | 31.1 |
| | 2001 | 86 | 4,240 | 143 | 1,507 | 2,010 | 103 | 851 | 227 | 9,167 | 26.9 | 64.5 | 72.3 | 41.5 | 133.0 | 21.8 | 17.7 | 11.9 | 47.2 |
| | 2002 | 55 | 2,011 | 37 | 1,820 | 473 | 41 | 884 | 229 | 5,550 | 17.1 | 30.3 | 18.6 | 49.0 | 31.1 | 8.7 | 18.2 | 11.9 | 28.3 |
| | Total† | 638 | 17,915 | 239 | 8,112 | 5,486 | 1,096 | 6,093 | 2,132 | 41,711 | 33.8 | 46.3 | 20.6 | 38.2 | 60.9 | 38.7 | 21.5 | 19.1 | 36.5 |
| Poliomyelitis | Total† | 39 | 1,741 | 59 | 604 | 462 | 47 | 623 | 517 | 4,092 | 30.7 | 66.5 | 55.7 | 41.0 | 82.1 | 24.6 | 33.5 | 67.9 | 53.1 |
| | 2001 | 18 | 434 | 93 | 407 | (114) † | 61 | (325) ‡ | 205 | (1,657) ‡ | 5.6 | 6.6 | 47.0 | 11.2 | NA | 12.9 | NA | 10.8 | 9.3 [§] |
| | 2002 | 33 | 861 | 65 | 428 | 180 | 63 | 453 | 211 | 2,294 | 10.3 | 13.0 | 32.8 | 11.5 | 11.8 | 13.3 | 9.3 | 10.9 | 11.7 |
| | Total | 51 | 1,295 | 158 | 835 | (294) † | 124 | (778) ‡ | 416 | (3,951) ‡ | 8.0 | 9.8 | 39.9 | 11.4 | 9.7 | 13.1 | 8.0 | 10.9 | 10.7 [§] |
| | 1997 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | – | – | – | – | – | – | – | – | – |
| | 1998 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | – | – | – | – | – | – | – | – | – |
| | 1999 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | – | – | – | – | – | – | – | – | – |
| 2000 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | – | – | – | – | – | – | – | – | – | |
| 2001 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | – | – | – | – | – | – | – | – | – | |
| 2002 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | – | – | – | – | – | – | – | – | – | |
| Total† | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | – | – | – | – | – | – | – | – | – | |

NN = not notifiable.

* Refer to Chapter 3 for case definitions.

† Total cases for 6-year period and average annual rate per 100,000 population.

‡ Disease not notifiable for complete year for some jurisdictions.

§ National rate only includes jurisdictions where disease was notifiable for complete year.

Table 26. Notifications by State/Territory and year (January 1997–December 2002) (continued)

| Disease* | Year | Number of notifications | | | | | | | | Total | Notification rate per 100,000 population | | | | | | | | Total |
|----------|--------|-------------------------|-----|----|-------|-----|-----|-----|-----|-------|--|-----|-----|------|------|-----|-----|-----|-------|
| | | ACT | NSW | NT | Qld | SA | Tas | Vic | WA | | ACT | NSW | NT | Qld | SA | Tas | Vic | WA | |
| Rubella | 1997 | 32 | 153 | 7 | 539 | 183 | 18 | 371 | 84 | 1,387 | 10.4 | 2.4 | 3.7 | 15.9 | 12.4 | 3.8 | 8.1 | 4.7 | 7.5 |
| | 1998 | 22 | 78 | 5 | 372 | 16 | 14 | 181 | 65 | 753 | 7.1 | 1.2 | 2.6 | 10.8 | 1.1 | 3.0 | 3.9 | 3.6 | 4.0 |
| | 1999 | 17 | 45 | 4 | 157 | 4 | 7 | 121 | 21 | 376 | 5.4 | 0.7 | 2.1 | 4.5 | 0.3 | 1.5 | 2.6 | 1.1 | 2.0 |
| | 2000 | 4 | 192 | 0 | 46 | 7 | 1 | 67 | 6 | 323 | 1.3 | 3.0 | – | 1.3 | 0.5 | 0.2 | 1.4 | 0.3 | 1.7 |
| | 2001 | 1 | 58 | 0 | 131 | 5 | 2 | 60 | 3 | 260 | 0.3 | 0.9 | – | 3.6 | 0.3 | 0.4 | 1.2 | 0.2 | 1.3 |
| | 2002 | 3 | 35 | 1 | 187 | 5 | 1 | 16 | 3 | 251 | 0.9 | 0.5 | 0.5 | 5.0 | 0.3 | 0.2 | 0.3 | 0.2 | 1.3 |
| | Total† | 79 | 561 | 17 | 1,432 | 220 | 43 | 816 | 182 | 3,350 | 4.2 | 1.4 | 1.5 | 6.7 | 2.4 | 1.5 | 2.9 | 1.6 | 2.9 |
| Tetanus | 1997 | 0 | 3 | 0 | 2 | 0 | 1 | 1 | 0 | 7 | – | 0.0 | – | 0.1 | – | 0.2 | 0.0 | – | 0.0 |
| | 1998 | 0 | 3 | 0 | 1 | 1 | 1 | 1 | 1 | 8 | – | 0.0 | – | 0.0 | 0.1 | 0.2 | 0.0 | 0.1 | 0.0 |
| | 1999 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 2 | – | 0.0 | – | 0.0 | – | – | – | – | 0.0 |
| | 2000 | 0 | 2 | 0 | 0 | 3 | 0 | 1 | 0 | 6 | – | 0.0 | – | – | 0.2 | – | 0.0 | – | 0.0 |
| | 2001 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 3 | – | – | – | – | 0.1 | 0.2 | 0.0 | – | 0.0 |
| | 2002 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 2 | – | – | – | 0.0 | – | – | – | 0.1 | 0.0 |
| | Total† | 0 | 9 | 0 | 5 | 5 | 3 | 4 | 2 | 28 | – | 0.0 | – | 0.0 | 0.1 | 0.1 | 0.0 | 0.0 | 0.0 |

NN = not notifiable.

* Refer to Chapter 3 for case definitions.

† Total cases for 6-year period and average annual rate per 100,000 population.

‡ Disease not notifiable for complete year for some jurisdictions.

§ National rate only includes jurisdictions where disease was notifiable for complete year.